

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(analyz\$3 determin\$3) with (code mark pn) with (tim\$3 adj adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 08:54
L2	0	(determin\$3) with (code mark pn) with (tim\$3 adj adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:08
L3	47	(determin\$3) with (code mark pn) with (tim\$3 adj adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:08
L4	0	(analyz\$3 determin\$3) with (type near field) with (tim\$3 adj adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:46

L5	0	(analyz\$3 determin\$3) with (type near field) with (tim\$3 near2 adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:47
L6	5	(analyz\$3 determin\$3) with (type near field) same (tim\$3 near2 adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:47
L7	7	(analyz\$3 determin\$3) with (type near2 field) same (tim\$3 near3 adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:48
L8	7	(analyz\$3 determin\$3) with (type near2 field) same (tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:49
L9	7	(analyz\$3 determin\$3) with (type near2 field) same (tim\$3 near3 (synchroniz\$3 adjust\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:50
L10	715	(analyz\$3 determin\$3) with (field) same (tim\$3 near3 (synchroniz\$3 adjust\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:50

L11	222	(analyz\$3 determin\$3) with (field) with (tim\$3 near3 (synchroniz\$3 adjust\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:50
L12	54	(analyz\$3 determin\$3) near3 (field) with (tim\$3 near3 (synchroniz\$3 adjust\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 09:50
L13	2	"5598417".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:01
L14	2	"5959980".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:02
L15	32606	370/311,328,329,320,335,342,338,503,441.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:12
L16	9787	455/450,509,522.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:12

L17	2	15 and (assign\$3 with (PN pseudorandom) with (time near alignment adjustment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:13
L18	0	16 and (assign\$3 with (PN pseudorandom) with (time near alignment adjustment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:13
L19	403	((rodney near nelson) (john near hofmann) (antoine near raphael) (james near proctor)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:17
L20	280	(tantivy near communications).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:17
L21	0	19 and (assign\$3 with (PN pseudorandom) with (time near alignment adjustment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:17
L22	11	19 and (analyz\$3 determin\$3) with (code mark pn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:18

L23	8	20 and (analyz\$3 detnermin\$3) with (code mark pn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:18
L24	0	16 and (marker pulse) with (PN pseudorandom) with (tim\$3 with (alignment adjustment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:23
L25	11	16 and (marker pulse) with (tim\$3 with (alignment adjustment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:23
L26	3	16 and (marker pulse) near tim\$3 with (alignment adjustment advance retard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:39
L27	32	15 and (marker pulse) near tim\$3 with (alignment adjustment advance retard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:40
L28	18	((("4448155") or ("5604730") or ("5657326") or ("5963559") or ("6069880") or ("6195362") or ("6611231") or ("20020012332"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:45

L29	0	18 and (marker pulse) near tim\$3 with (alignment adjustment advance retard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:45
L30	0	18 and (marker pulse code) near tim\$3 with (alignment adjustment advance retard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:45
L31	0	18 and (marker pulse code) near tim\$3 same (alignment adjustment advance retard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:46
L32	0	18 and (marker pulse code) near tim\$3 same (alignment adjustment advance retard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:46
L33	0	18 and (marker pulse code) near2 tim\$3 same (alignment adjustment advance retard)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:46
L34	0	(analyz\$3 determin\$3) with (plus marker code) same (type near field) same (tim\$3 near2 adjust\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:46

L35	576	{(analyz\$3 determin\$3) with (plus marker code) same (tim\$3 near2 adjust\$3)}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:47
L36	2228	{(analyz\$3 determin\$3) with (pulse marker code) same (tim\$3 near2 adjust\$3)}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:47
L37	0	{(analyz\$3 determin\$3) with (pulse marker code) same (type near field) same (tim\$3 near2 adjust\$3)}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:47
L38	297	{((analyz\$3 determin\$3) with (pulse marker code) same (tim\$3 near2 adjust\$3)).clm.}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:48
L39	52	38 and (mobile base adj station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:48
L40	17	39 and (@ad<"20000207" @riad<"20000207")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 10:51

L41	0	((analyz\$3 determin\$3) same (type near field) same (tim\$3 near2 adjust\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:45
L42	0	((pn code mark pulse) with (assoicat\$3) with (type near field)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:47
L43	0	((pn code mark pulse) with (assoicat\$3) with (type near field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:47
L44	388	((pn code mark pulse) near (type near field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:47
L45	23	((pn code mark pulse) near (type near field)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:47
L46	0	((pn code mark pulse) same (type near field) same (tim\$3 near2 adjust\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:50

L47	1	((pn code mark pulse) same (type near field) same (synchroniz\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:51
L48	10	((pn code mark pulse) same (type near field) same (synchroniz\$3 adjust\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:51
L49	431	((pn code mark pulse) same (type near field)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:53
L50	351	((pn code mark pulse) with (type near field)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:53
L51	100	((pn code mark pulse) near3 (type near field)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:53
L52	27	51 and (@ad<"20000207" @rlad<"20000207")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:53

L53	15	((pn code mark pulse) near3 (type near field) near3 (messag\$3 request\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:55
L55	23	((determin\$3 analyz\$3 receiv\$3) with (code mark pn) with (tim\$3 adj adjust\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 11:58
L58	0	((determin\$3 analyz\$3 receiv\$3) with (code near pn) with (tim\$3 adj adjust\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 12:03
L59	0	((determin\$3 analyz\$3 receiv\$3) with (code near pn) with (tim\$3 adj adjust\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 12:03
L60	0	((determin\$3 analyz\$3 receiv\$3) with (code near pn) with (tim\$3 adj adjust\$5)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 12:03
L61	0	((determin\$3 analyz\$3 receiv\$3) with (code near pn) with (synchroniz\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 12:04

L63	3	"4448155".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/16 12:05
-----	---	---------------	---	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L54	9	((pn code mark pulse) near3 (type near field) near3 (messag\$3 request\$3)).clm.	USPAT; UPAD	OR	ON	2011/03/16 11:56
L56	12	((determin\$3 analyz\$3 receiv\$3) with (code mark pn) with (tim\$3 adj adjust\$3)).clm.	USPAT; UPAD	OR	ON	2011/03/16 11:58
L57	0	((determin\$3 analyz\$3 receiv\$3) with (code near pn) with (tim\$3 adj adjust\$3)).clm.	USPAT; UPAD	OR	ON	2011/03/16 12:03
L62	0	((determin\$3 analyz\$3 receiv\$3) with (code near pn) with (synchroniz\$3)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/03/16 12:04

3/16/11 12:10:00 PM**C:\Documents and Settings\stsegaye\My Documents\EAST\workspaces\09778474.wsp**